





Product	WFU paper (UPM graphic, preprint, postal, label & copy papers)			
Company	UPM-Kymmene Corpora	tion		
Mill	Kymi WFU			
Information	gathered from 1.1.2021	to 31.12.2021	Date of issue 24.3.2022	

ENVIRONMENTAL PRODUCT DECLARATION FOR PAPER

ENVIRONMENTAL MANAGEMENT

Certified environmental management system at the mill (since): ISO 14001 (1995) and EMAS (1999)

Company systems ensure traceability of the origin of wood: YES **X** NO 100% RECOVERED PAPER

Mill has certified Chain of Custody for FSC™ (FSC C014719) and PEFC (PEFC/02-31-80) in place. Certified paper

based on request and availability. Other certified management systems: ETJ+ (Energy Efficiency), ISO45001 (Health & Safety), ISO 9001 (Quality). Product granted with the EU Eco-label


Copies of certificates available at www.upm.com

ENVIRONMENTAL PARAMETERS

The figures are based on methods and procedures of measurement approved by the local (or national) environmental regulators at the production site. The figures include pulp and paper production.

Water	COD	6.1	kg/tonne			
	AOX	0.06	kg/tonne			
	NTot	0.091	kg/tonne			
	PTot	0.003	kg/tonne			
Air	SO2	0.022	kg/tonne			
	NOx	1.12	kg/tonne			
	CO2 (fossil)	100	kg/tonne			
Solid waste landfilled 8.6 BDkg/tonne						
Purchased electricity consumption						
/tonne of final product 400 kWh						
More information						
Contact Anne Lihvonen						
Address Alvar Aallon katu 1						
FIN-00100 Helsinki, Finland						

PRODUCT COMPOSITION



This product contains biomass carbon, equivalent to 1240 kg of CO2 per tonne of product.

Phone +358 204 153 537
e-mail anne.lihvonen@upm.com
www.upm.com





UPM CARBON FOOTPRINT INFORMATION

Product	WFU paper (UPM graphic, preprint, postal, label & copy papers)	
Company	UPM-Kymmene Corporation	
Site	Kymi WFU	
Information gathered from 1.1.2021 to 31.12.2021		

Carbon Footprint

- UPM calculates the Carbon Footprint of its paper products based on the ten elements of the Carbon Footprint Framework for Paper and Board Products developed by CEPI (the Confederation of European Paper Industries).
 Detailed information on the CEPI Framework can be found at www.cepi.org.
- The data used in the calculation are based on annual averages for a paper machine line.
- GHG = greenhouse gas. UPM figures refer only to emissions of fossil CO₂.

Carbon footprint of Kymi PM 9 [kg fossil CO2 per tonne of paper] 350 □ Transport of raw materials 300 ■ Purchased power 250 200 ■ Other raw materials 150 ■ Fibre production 100 50 ■ Pulp and paper production 0

Ten elements of the CEPI Framework (See next page for remarks and explanations)	Fossil CO ₂ (kg/tonne of paper)	Biogenic CO₂ (kg/tonne of paper)
Carbon sequestration in the forest		0
2. Carbon stored in the product		1240
Net sequestration of biomass carbon		1240
3. GHG emissions from pulp and paper production	100	
4. GHG emissions associated with producing virgin or recovered fibre	30	
5. GHG emissions associated with producing other raw materials	70	
6. GHG emissions associated with purchased electricity and steam *)	90	
7. Transport-related GHG emissions (excl. delivery to customer)	10	
Total fossil CO ₂ emissions	300	
8. GHG emissions attributable to product use (e.g. printing)	-	
9. GHG emissions attributable to end-of-life-management of products	-	
10. Avoided emissions	-	

^{*)} The CO₂ factor used for purchased power is 121 g CO₂ per kWh.



Remarks and explanations to the ten elements of CEPI Framework

1. Carbon sequestration in the forest

• For UPM, forest certification and traceability of fibre supply using certified Chain of Custodies ensures the sustainable management of forests. This ensures that carbon stocks in forests remain stable or even improve over time. However, in many cases it is difficult to isolate this effect attributable to a specific product and to specific forest area.

2. Carbon stored in the product

 Due to the capacity of forests to bind CO2, biogenic carbon is stored in paper produced from wood fibre. The IPCC (International Panel on Climate Change) formula is used to determine the amount of CO2 that is stored in the paper product. Recycling of further processed products delays this CO2 from returning to the atmosphere.

3. GHG emissions from pulp and paper production

• UPM includes data on fossil CO₂ emissions from combustion of fossil fuels at pulp and paper manufacturing facilities, including that for external pulp production (production of purchased pulp).

4. GHG emissions associated with generating the supply of wood or recovered fibre

- For wood fibre, this includes fossil CO2 emissions from forest management and harvesting activities.
- For recovered fibre, this includes fossil CO₂ emissions from the collection, sorting and processing of recovered fibre before it enters the recycling process.

5. GHG emissions associated with producing other raw materials

• Includes fossil CO₂ emissions generated during the manufacturing of non-wood-based raw materials (pigments or chemicals which are used in an amount above 10 kg per tonne of paper) and fuels.

6. GHG emissions associated with purchased electricity and steam

- Includes fossil CO₂ emissions associated with purchased electricity, steam and heat used for pulp and paper production, including that for external pulp production (production of purchased pulp)
- In case the mill or the external pulp mill is selling Guarantees of Origin related to its green electricity production, this amount of electricity is multiplied with the national residual CO2 factor for grid electricity and included in toe 6.
- Due to differences in fuel mix used to produce electricity there are significant differences in the emission factors used to convert grid electricity to it's equivalent CO₂. UPM uses country specific emission conversion factors which are based on the real power supply to UPM mills in each respective country. The factor used is given below the table on the previous page.

7. Transport-related GHG emissions

- Includes fossil CO₂ emissions associated with in- and outbound transports of raw materials and final products from the paper mill, along the value chain.
- At UPM, this figure includes the transportation of wood, pulp, recovered paper and pigments to UPM mills.
- CO₂ emissions from transportation of paper to the customer is not included since this depends on the transportation modes used and distances to specific customer locations. This part of the element can be calculated for a specific case on request.

8. GHG emissions attributable to product use (e.g. printing)

This element is not included within UPM's scope as a paper manufacturer.

9. GHG emissions attributable to end-of-life-management of products

• This element is not included within UPM's scope as a paper manufacturer.

10. Avoided emissions (e.g. superior energy efficiency or carbon offsetting measures)

• This element is not currently included in UPM's scope.